ELSEVIER

Chemical Physics 243 (1999) 341–344

Chemical Physics

www.elsevier.nl/locate/chemphys

Author index

Ågren, H., see Engström, M. 243 (1999) 263
Andrzejak, M., see Petelenz, P. 243 (1999) 149

Bacis, R., see Inard, D. 243 (1999) 305
Barford, W., see Bursill, R.J. 243 (1999) 35
Bielschowsky, C.E., see Rocha, A.B. 243 (1999) 9
Blaise, P. and O. Henri-Rousseau, Linear response theory and IR spectral density of direct damped weak H-bonds: validity of adiabatic approximation 243 (1999) 229
Brougham, D.F., A.J. Horsewill and H.P. Trommsdorff, A field-cycling NMR relaxometry investigation of proton tunnelling in a partially disordered system of hydrogen bonds 243 (1999) 189
Buldyreva, J.V., see Kouzov, A.P. 243 (1999) 137
Burgess, J., see Sánchez, F. 243 (1999) 159
Bursill, R.J., W. Barford and H. Daly, Molecular orbital models of benzene, biphenyl and the oligophenylenes 243 (1999) 35
Buβ, V., see Falzewski, S. 243 (1999) 179

Cacelli, I., see Carravetta, V. 243 (1999) 77
Cao, Z., H. Xian, W. Wu and Q. Zhang, An ab initio molecular orbital study of the electronic spectrum and dissociation features of Li_2F 243 (1999) 209
Carravetta, V. and I. Cacelli, Calculation of the differential photoionization cross-section of PH_3 243 (1999) 77
Cataliotti, R.S., see Marri, E. 243 (1999) 323
Cerny, D., see Inard, D. 243 (1999) 305
Cheche, T. and S.H. Lin, Relaxation times of a dissipative two-state system for a resonance treatment. Application to electron transfer reactions 243 (1999) 123
Churassy, S., see Inard, D. 243 (1999) 305
Clade, J., see Engemann, C. 243 (1999) 61

Daly, H., see Bursill, R.J. 243 (1999) 35
De Castro, E.V.R., F.E. Jorge and J.C. Pinheiro, Accurate Gaussian basis sets for second-row atoms and ions generated with the improved generator coordinate Hartree–Fock method 243 (1999) 1
Descamps, M., see Kuchta, B. 243 (1999) 169
Dogra, S.K., see Krishnamoorthy, G. 243 (1999) 45

Engemann, C., R. Franke, J. Hormes, C. Lauterbach, E. Hartmann, J. Clade and M. Jansen, X-ray absorption near-edge spectroscopy (XANES) at the phosphorus K-edge of tri-organophosphinechalcogenides 243 (1999) 61
Engström, M., O. Vahtras and H. Ågren, Hartree-Fock linear response calculations of *g*-tensors of substituted benzene radicals 243 (1999) 263

Falzewski, S., F. Terstegen and V. Buβ, Structure and dynamics of helically twisted cyanine dyes 243 (1999) 179
Fort, A., J. Muller and L. Mager, Chain-length dependence of the optical properties of a series of push–pull polyenes: application to doped photorefractive polymers 243 (1999) 115
Franke, R., see Engemann, C. 243 (1999) 61

Giorgini, M.G., see Marri, E. 243 (1999) 323
Grabowska, A., see Wortmann, R. 243 (1999) 295
Graña, A.M. and R.A. Mosquera, Effect of protonation on the atomic and bond properties of the carbonyl group in aldehydes and ketones 243 (1999) 17
Gu, Y., see Wang, B. 243 (1999) 27

Haarer, D., see Müller, J. 243 (1999) 201
Hartmann, E., see Engemann, C. 243 (1999) 61
Henri-Rousseau, O., see Blaise, P. 243 (1999) 229
Holland, D.M.P. and D.A. Shaw, A study of the valence-shell photoabsorption, photodissociation and photoionisation cross-sections of allene 243 (1999) 333
Hormes, J., see Engemann, C. 243 (1999) 61
Horsewill, A.J., see Brougham, D.F. 243 (1999) 189
Hou, H., see Wang, B. 243 (1999) 27

Ibuki, T., see Kanda, K. 243 (1999) 89
Inard, D., D. Cerny, M. Nota, R. Bacis, S. Churassy and V. Skorokhodov, $E\,0_g^+ \rightarrow A\,1_u$ and $E\,0_g^+ \rightarrow B''\,1_u$ laser-induced fluorescence in molecular iodine recorded by Fourier-transform spectroscopy 243 (1999) 305

Jansen, M., see Engemann, C. 243 (1999) 61
Jarosz, S., see Wortmann, R. 243 (1999) 295
Jorge, F.E., see de Castro, E.V.R. 243 (1999) 1

Kanda, K., T. Nagata and T. Ibuki, Photodissociation of some simple nitriles in the extreme vacuum ultraviolet region 243 (1999) 89
Kazaoui, S., see Petelenz, P. 243 (1999) 149
Kharlamov, B.M., see Müller, J. 243 (1999) 201
Khodykin, O.V., see Müller, J. 243 (1999) 201
Kondo, A.E., A. Salam and W.J. Meath, On the control of the populations of atomic states through the use of a static electric field, pulsed lasers, and competing two-photon excitation mechanisms 243 (1999) 215
Kosmas, A.M., see Papayannis, D. 243 (1999) 249
Kouzov, A.P. and J.V. Buldyreva, Perturbation approach to depolarized Rayleigh band shape theory corrected for collision-induced coherence: applications to hydrogen and deuterium 243 (1999) 137
Kownacki, K., see Wortmann, R. 243 (1999) 295
Krishnamoorthy, G. and S.K. Dogra, Dual fluorescence of 2-(4′-*N*,*N*-dimethylaminophenyl)benzoxazole: effect of solvent and pH 243 (1999) 45
Kuchta, B., M. Descamps and J.F. Willart, Reducing quasi-ergodicity in Monte Carlo simulations of the plastic phase of the cyanoadamantane crystal 243 (1999) 169

Lauterbach, C., see Engemann, C. 243 (1999) 61
Lebus, S., see Wortmann, R. 243 (1999) 295

Lin, S.H., see Cheche, T. 243 (1999) 123
López-Cornejo, P., see Sánchez, F. 243 (1999) 159
Lozovoy, V.V., O.M. Sarkisov, A.S. Vetchinkin and S.Y. Umanskii, Coherent control of the molecular iodine vibrational dynamics by chirped femtosecond light pulses: theoretical simulation of the pump-probe experiment 243 (1999) 97

Mager, L., see Fort, A. 243 (1999) 115
Marri, E., A. Morresi, G. Paliani, R.S. Cataliotti and M.G. Giorgini, Isotopic and chemical dilution effects on the vibrational relaxation rate of some totally symmetric motions of liquid acetonitrile 243 (1999) 323
Meath, W.J., see Kondo, A.E. 243 (1999) 215
Melissas, V.S., see Papayannis, D. 243 (1999) 249
Minami, N., see Petelenz, P. 243 (1999) 149
Morresi, A., see Marri, E. 243 (1999) 323
Mosquera, R.A., see Graña, A.M. 243 (1999) 17
Müller, J., O.V. Khodykin, D. Haarer and B.M. Kharlamov, Nonphotochemical hole burning in Zn-TBP/PMMA. Unusual burning kinetics and very narrow holewidth limit 243 (1999) 201
Muller, J., see Fort, A. 243 (1999) 115
Muriel, F., see Sánchez, F. 243 (1999) 159

Nagata, T., see Kanda, K. 243 (1999) 89
Nota, M., see Inard, D. 243 (1999) 305

Paliani, G., see Marri, E. 243 (1999) 323
Papayannis, D., A.M. Kosmas and V.S. Melissas, Ab initio calculations for $(BrO)_2$ system and quasiclassical dynamics study of BrO self-reaction 243 (1999) 249
Petelenz, P., M. Andrzejak, S. Kazaoui and N. Minami, Temperature dependence of fullerene electroabsorption spectra – model calculations 243 (1999) 149
Pinheiro, J.C., see de Castro, E.V.R. 243 (1999) 1
Plonka, A., see Vlad, M.O. 243 (1999) 273

Reis, H., see Wortmann, R. 243 (1999) 295
Rocha, A.B. and C.E. Bielschowsky, Inner-shell excitations of water molecule 243 (1999) 9
Rodríguez, A., see Sánchez, F. 243 (1999) 159
Ross, J., see Vlad, M.O. 243 (1999) 273

Salam, A., see Kondo, A.E. 243 (1999) 215
Sánchez, F., A. Rodríguez, F. Muriel, J. Burgess and P. López-Cornejo, Kinetic study of the electron transfer process between $Ru(NH_3)_5pz^{2+}$ and $S_2O_8^{2-}$ in water–cosolvent mixtures: a new component of reorganization energy 243 (1999) 159
Sarkisov, O.M., see Lozovoy, V.V. 243 (1999) 97
Shaw, D.A., see Holland, D.M.P. 243 (1999) 333
Skorokhodov, V., see Inard, D. 243 (1999) 305

Terstegen, F., see Falzewski, S. 243 (1999) 179
Trommsdorff, H.P., see Brougham, D.F. 243 (1999) 189

Umanskii, S.Y., see Lozovoy, V.V. 243 (1999) 97

Vahtras, O., see Engström, M. 243 (1999) 263
Vetchinkin, A.S., see Lozovoy, V.V. 243 (1999) 97
Vlad, M.O., J. Ross and A. Plonka, Reaction volume statistics for rate processes in disordered systems. Thermodynamic analogies and extracting information from experimental data 243 (1999) 273

Wang, B., H. Hou and Y. Gu, Water-catalyzed mechanism for the pyrolysis of formic acid 243 (1999) 27
Willart, J.F., see Kuchta, B. 243 (1999) 169
Wortmann, R., S. Lebus, H. Reis, A. Grabowska, K. Kownacki and S. Jarosz, Spectral and electrooptical absorption and emission studies on internally hydrogen bonded benzoxazole 'double' derivatives: 2,5-bis(benzoxazolyl)hydroquinone (BBHQ) and 3,6-bis(benzoxazolyl)pyrocatechol (BBPC). Single versus double proton transfer in the excited BBPC revisited 243 (1999) 295
Wu, W., see Cao, Z. 243 (1999) 209

Xian, H., see Cao, Z. 243 (1999) 209

Zhang, Q., see Cao, Z. 243 (1999) 209

ELSEVIER

Chemical Physics 243 (1999) 345–355

Chemical Physics

www.elsevier.nl/locate/chemphys

Subject index

Methods and constructs

Theoretical

Computational methods for electronic structure

Accurate Gaussian basis sets for second-row atoms and ions generated with the improved generator coordinate Hartree–Fock method, E.V.R. de Castro, F.E. Jorge and J.C. Pinheiro 243 (1999) 1

Effect of protonation on the atomic and bond properties of the carbonyl group in aldehydes and ketones, A.M. Graña and R.A. Mosquera 243 (1999) 17

Molecular orbital models of benzene, biphenyl and the oligophenylenes , R.J. Bursill, W. Barford and H. Daly 243 (1999) 35

Calculation of the differential photoionization cross-section of PH_3, V. Carravetta and I. Cacelli 243 (1999) 77

An ab initio molecular orbital study of the electronic spectrum and dissociation features of Li_2F, Z. Cao, H. Xian, W. Wu and Q. Zhang 243 (1999) 209

Ab initio calculations for $(BrO)_2$ system and quasiclassical dynamics study of BrO self-reaction, D. Papayannis, A.M. Kosmas and V.S. Melissas 243 (1999) 249

Hartree-Fock linear response calculations of *g*-tensors of substituted benzene radicals, M. Engström, O. Vahtras and H. Ågren 243 (1999) 263

-CI and valence bond approach

Inner-shell excitations of water molecule, A.B. Rocha and C.E. Bielschowsky 243 (1999) 9

-perturbative and many body approaches

Effect of protonation on the atomic and bond properties of the carbonyl group in aldehydes and ketones, A.M. Graña and R.A. Mosquera 243 (1999) 17

Water-catalyzed mechanism for the pyrolysis of formic acid, B. Wang, H. Hou and Y. Gu 243 (1999) 27

Semiempirical methods

Molecular orbital models of benzene, biphenyl and the oligophenylenes , R.J. Bursill, W. Barford and H. Daly 243 (1999) 35

Dual fluorescence of 2-(4′-*N*,*N*-dimethylaminophenyl)benzoxazole: effect of solvent and pH, G. Krishnamoorthy and S.K. Dogra 243 (1999) 45

X-ray absorption near-edge spectroscopy (XANES) at the phosphorus K-edge of tri-organophosphinechalcogenides, C. Engemann, R. Franke, J. Hormes, C. Lauterbach, E. Hartmann, J. Clade and M. Jansen 243 (1999) 61

Wavefunctions for highly excited and unbound states
Calculation of the differential photoionization cross-section of PH_3, V. Carravetta and I. Cacelli 243 (1999) 77
Photodissociation of some simple nitriles in the extreme vacuum ultraviolet region, K. Kanda, T. Nagata and T. Ibuki 243 (1999) 89

Molecular response to external fields (incl. optical susceptibilities, dichroism, hyperpolarizabilities)
Coherent control of the molecular iodine vibrational dynamics by chirped femtosecond light pulses: theoretical simulation of the pump-probe experiment, V.V. Lozovoy, O.M. Sarkisov, A.S. Vetchinkin and S.Y. Umanskii 243 (1999) 97
Chain-length dependence of the optical properties of a series of push–pull polyenes: application to doped photorefractive polymers, A. Fort, J. Muller and L. Mager 243 (1999) 115
On the control of the populations of atomic states through the use of a static electric field, pulsed lasers, and competing two-photon excitation mechanisms, A.E. Kondo, A. Salam and W.J. Meath 243 (1999) 215

Collisional and reactive molecular dynamics with non-frictional forces
Ab initio calculations for $(BrO)_2$ system and quasiclassical dynamics study of BrO self-reaction, D. Papayannis, A.M. Kosmas and V.S. Melissas 243 (1999) 249

Reactive molecular dynamics including dissipative processes
Relaxation times of a dissipative two-state system for a resonance treatment. Application to electron transfer reactions, T. Cheche and S.H. Lin 243 (1999) 123
Perturbation approach to depolarized Rayleigh band shape theory corrected for collision-induced coherence: applications to hydrogen and deuterium, A.P. Kouzov and J.V. Buldyreva 243 (1999) 137

Quasiparticle dynamics (incl. excitons, polarons)
Temperature dependence of fullerene electroabsorption spectra – model calculations, P. Petelenz, M. Andrzejak, S. Kazaoui and N. Minami 243 (1999) 149

Statistical computational methods (incl. Monte Carlo)
Kinetic study of the electron transfer process between $Ru(NH_3)_5pz^{2+}$ and $S_2O_8^{2-}$ in water–cosolvent mixtures: a new component of reorganization energy, F. Sánchez, A. Rodríguez, F. Muriel, J. Burgess and P. López-Cornejo 243 (1999) 159
Reducing quasi-ergodicity in Monte Carlo simulations of the plastic phase of the cyanoadamantane crystal, B. Kuchta, M. Descamps and J.F. Willart 243 (1999) 169

Dynamics of structures, lattices and macromolecular conformations
Structure and dynamics of helically twisted cyanine dyes, S. Falzewski, F. Terstegen and V. Buβ 243 (1999) 179

Non-equilibrium statistical mechanics
Perturbation approach to depolarized Rayleigh band shape theory corrected for collision-induced coherence: applications to hydrogen and deuterium, A.P. Kouzov and J.V. Buldyreva 243 (1999) 137

Equilibrium statistical mechanics and thermodynamics
Reaction volume statistics for rate processes in disordered systems. Thermodynamic analogies and extracting information from experimental data, M.O. Vlad, J. Ross and A. Plonka 243 (1999) 273

Time and space correlation functions
Perturbation approach to depolarized Rayleigh band shape theory corrected for collision-induced coherence: applications to hydrogen and deuterium, A.P. Kouzov and J.V. Buldyreva 243 (1999) 137
Linear response theory and IR spectral density of direct damped weak H-bonds: validity of adiabatic approximation, P. Blaise and O. Henri-Rousseau 243 (1999) 229

Experiment

Magnetic resonances
A field-cycling NMR relaxometry investigation of proton tunnelling in a partially disordered system of hydrogen bonds, D.F. Brougham, A.J. Horsewill and H.P. Trommsdorff 243 (1999) 189
Hartree-Fock linear response calculations of g-tensors of substituted benzene radicals, M. Engström, O. Vahtras and H. Ågren 243 (1999) 263

Molecular spectroscopy
Molecular orbital models of benzene, biphenyl and the oligophenylenes , R.J. Bursill, W. Barford and H. Daly 243 (1999) 35
Linear response theory and IR spectral density of direct damped weak H-bonds: validity of adiabatic approximation, P. Blaise and O. Henri-Rousseau 243 (1999) 229
Spectral and electrooptical absorption and emission studies on internally hydrogen bonded benzoxazole 'double' derivatives: 2,5-bis(benzoxazolyl)hydroquinone (BBHQ) and 3,6-bis(benzoxazolyl)pyrocatechol (BBPC). Single versus double proton transfer in the excited BBPC revisited, R. Wortmann, S. Lebus, H. Reis, A. Grabowska, K. Kownacki and S. Jarosz 243 (1999) 295
$E\,0_g^+ \rightarrow A\,1_u$ and $E\,0_g^+ \rightarrow B''\,1_u$ laser-induced fluorescence in molecular iodine recorded by Fourier-transform spectroscopy, D. Inard, D. Cerny, M. Nota, R. Bacis, S. Churassy and V. Skorokhodov 243 (1999) 305

-Raman
Isotopic and chemical dilution effects on the vibrational relaxation rate of some totally symmetric motions of liquid acetonitrile, E. Marri, A. Morresi, G. Paliani, R.S. Cataliotti and M.G. Giorgini 243 (1999) 323

-UV
Structure and dynamics of helically twisted cyanine dyes, S. Falzewski, F. Terstegen and V. Buβ 243 (1999) 179

-visible
Molecular orbital models of benzene, biphenyl and the oligophenylenes , R.J. Bursill, W. Barford and H. Daly 243 (1999) 35
Nonphotochemical hole burning in Zn-TBP/PMMA. Unusual burning kinetics and very narrow holewidth limit, J. Müller, O.V. Khodykin, D. Haarer and B.M. Kharlamov 243 (1999) 201

Photon counting and phase fluorimetry
Dual fluorescence of 2-(4′-*N*,*N*-dimethylaminophenyl)benzoxazole: effect of solvent and pH, G. Krishnamoorthy and S.K. Dogra 243 (1999) 45

X-ray spectroscopy
X-ray absorption near-edge spectroscopy (XANES) at the phosphorus K-edge of tri-organophosphinechalcogenides, C. Engemann, R. Franke, J. Hormes, C. Lauterbach, E. Hartmann, J. Clade and M. Jansen 243 (1999) 61

Laser induced fluorescence
$E\,0_g^+ \rightarrow A\,1_u$ and $E\,0_g^+ \rightarrow B''\,1_u$ laser-induced fluorescence in molecular iodine recorded by Fourier-transform spectroscopy, D. Inard, D. Cerny, M. Nota, R. Bacis, S. Churassy and V. Skorokhodov 243 (1999) 305

Ultrafast measurements
Coherent control of the molecular iodine vibrational dynamics by chirped femtosecond light pulses: theoretical simulation of the pump-probe experiment, V.V. Lozovoy, O.M. Sarkisov, A.S. Vetchinkin and S.Y. Umanskii 243 (1999) 97

Nonlinear optics and spectroscopy
Chain-length dependence of the optical properties of a series of push–pull polyenes: application to doped photorefractive polymers, A. Fort, J. Muller and L. Mager 243 (1999) 115
Temperature dependence of fullerene electroabsorption spectra – model calculations, P. Petelenz, M. Andrzejak, S. Kazaoui and N. Minami 243 (1999) 149

Synchrotron spectroscopies
Photodissociation of some simple nitriles in the extreme vacuum ultraviolet region, K. Kanda, T. Nagata and T. Ibuki 243 (1999) 89
A study of the valence-shell photoabsorption, photodissociation and photoionisation cross-sections of allene, D.M.P. Holland and D.A. Shaw 243 (1999) 333

X-ray, electron and neutron diffraction
Structure and dynamics of helically twisted cyanine dyes, S. Falzewski, F. Terstegen and V. Buβ 243 (1999) 179

Measurement of macroscopic variables
Relaxation times of a dissipative two-state system for a resonance treatment. Application to electron transfer reactions, T. Cheche and S.H. Lin 243 (1999) 123

Objects

Bulk systems

Gases
Inner-shell excitations of water molecule, A.B. Rocha and C.E. Bielschowsky 243 (1999) 9
Water-catalyzed mechanism for the pyrolysis of formic acid, B. Wang, H. Hou and Y. Gu 243 (1999) 27

Calculation of the differential photoionization cross-section of PH_3, V. Carravetta and I. Cacelli 243 (1999) 77
Photodissociation of some simple nitriles in the extreme vacuum ultraviolet region, K. Kanda, T. Nagata and T. Ibuki 243 (1999) 89
Coherent control of the molecular iodine vibrational dynamics by chirped femtosecond light pulses: theoretical simulation of the pump-probe experiment, V.V. Lozovoy, O.M. Sarkisov, A.S. Vetchinkin and S.Y. Umanskii 243 (1999) 97
Perturbation approach to depolarized Rayleigh band shape theory corrected for collision-induced coherence: applications to hydrogen and deuterium, A.P. Kouzov and J.V. Buldyreva 243 (1999) 137
$E\,0_g^+ \rightarrow A\,1_u$ and $E\,0_g^+ \rightarrow B''\,1_u$ laser-induced fluorescence in molecular iodine recorded by Fourier-transform spectroscopy, D. Inard, D. Cerny, M. Nota, R. Bacis, S. Churassy and V. Skorokhodov 243 (1999) 305

Liquids neat
Dual fluorescence of 2-(4′-*N*,*N*-dimethylaminophenyl)benzoxazole: effect of solvent and pH, G. Krishnamoorthy and S.K. Dogra 243 (1999) 45

Liquid mixtures and solutions
Kinetic study of the electron transfer process between $Ru(NH_3)_5pz^{2+}$ and $S_2O_8^{2-}$ in water–cosolvent mixtures: a new component of reorganization energy, F. Sánchez, A. Rodríguez, F. Muriel, J. Burgess and P. López-Cornejo 243 (1999) 159
Hartree-Fock linear response calculations of *g*-tensors of substituted benzene radicals, M. Engström, O. Vahtras and H. Ågren 243 (1999) 263
Spectral and electrooptical absorption and emission studies on internally hydrogen bonded benzoxazole 'double' derivatives: 2,5-bis(benzoxazolyl)hydroquinone (BBHQ) and 3,6-bis(benzoxazolyl)pyrocatechol (BBPC). Single versus double proton transfer in the excited BBPC revisited, R. Wortmann, S. Lebus, H. Reis, A. Grabowska, K. Kownacki and S. Jarosz 243 (1999) 295
Isotopic and chemical dilution effects on the vibrational relaxation rate of some totally symmetric motions of liquid acetonitrile, E. Marri, A. Morresi, G. Paliani, R.S. Cataliotti and M.G. Giorgini 243 (1999) 323

Crystals
Reducing quasi-ergodicity in Monte Carlo simulations of the plastic phase of the cyanoadamantane crystal, B. Kuchta, M. Descamps and J.F. Willart 243 (1999) 169

-neat
Temperature dependence of fullerene electroabsorption spectra – model calculations, P. Petelenz, M. Andrzejak, S. Kazaoui and N. Minami 243 (1999) 149

Glasses
Nonphotochemical hole burning in Zn-TBP/PMMA. Unusual burning kinetics and very narrow holewidth limit, J. Müller, O.V. Khodykin, D. Haarer and B.M. Kharlamov 243 (1999) 201

Polymers
Chain-length dependence of the optical properties of a series of push–pull polyenes: application to doped photorefractive polymers, A. Fort, J. Muller and L. Mager 243 (1999) 115

Biological systems
Relaxation times of a dissipative two-state system for a resonance treatment. Application to electron transfer reactions, T. Cheche and S.H. Lin 243 (1999) 123

Microscopic and mesoscopic systems

Single atoms, molecules and assemblies (incl. biological)
Accurate Gaussian basis sets for second-row atoms and ions generated with the improved generator coordinate Hartree–Fock method, E.V.R. de Castro, F.E. Jorge and J.C. Pinheiro 243 (1999) 1
Coherent control of the molecular iodine vibrational dynamics by chirped femtosecond light pulses: theoretical simulation of the pump-probe experiment, V.V. Lozovoy, O.M. Sarkisov, A.S. Vetchinkin and S.Y. Umanskii 243 (1999) 97
Relaxation times of a dissipative two-state system for a resonance treatment. Application to electron transfer reactions, T. Cheche and S.H. Lin 243 (1999) 123
On the control of the populations of atomic states through the use of a static electric field, pulsed lasers, and competing two-photon excitation mechanisms, A.E. Kondo, A. Salam and W.J. Meath 243 (1999) 215

Molecules (neutral and ionic)
Effect of protonation on the atomic and bond properties of the carbonyl group in aldehydes and ketones, A.M. Graña and R.A. Mosquera 243 (1999) 17
Dual fluorescence of 2-(4′-*N*,*N*-dimethylaminophenyl)benzoxazole: effect of solvent and pH, G. Krishnamoorthy and S.K. Dogra 243 (1999) 45
X-ray absorption near-edge spectroscopy (XANES) at the phosphorus K-edge of tri-organophosphinechalcogenides, C. Engemann, R. Franke, J. Hormes, C. Lauterbach, E. Hartmann, J. Clade and M. Jansen 243 (1999) 61
An ab initio molecular orbital study of the electronic spectrum and dissociation features of Li_2F, Z. Cao, H. Xian, W. Wu and Q. Zhang 243 (1999) 209

-diatomic
Perturbation approach to depolarized Rayleigh band shape theory corrected for collision-induced coherence: applications to hydrogen and deuterium, A.P. Kouzov and J.V. Buldyreva 243 (1999) 137
$E\,0_g^+ \rightarrow A\,1_u$ and $E\,0_g^+ \rightarrow B''\,1_u$ laser-induced fluorescence in molecular iodine recorded by Fourier-transform spectroscopy, D. Inard, D. Cerny, M. Nota, R. Bacis, S. Churassy and V. Skorokhodov 243 (1999) 305

-small polyatomics
Effect of protonation on the atomic and bond properties of the carbonyl group in aldehydes and ketones, A.M. Graña and R.A. Mosquera 243 (1999) 17
Calculation of the differential photoionization cross-section of PH_3, V. Carravetta and I. Cacelli 243 (1999) 77
Photodissociation of some simple nitriles in the extreme vacuum ultraviolet region, K. Kanda, T. Nagata and T. Ibuki 243 (1999) 89
A study of the valence-shell photoabsorption, photodissociation and photoionisation cross-sections of allene, D.M.P. Holland and D.A. Shaw 243 (1999) 333

Isotopic and chemical dilution effects on the vibrational relaxation rate of some totally symmetric motions of liquid acetonitrile, E. Marri, A. Morresi, G. Paliani, R.S. Cataliotti and M.G. Giorgini 243 (1999) 323

-aromatics

Hartree-Fock linear response calculations of *g*-tensors of substituted benzene radicals, M. Engström, O. Vahtras and H. Ågren 243 (1999) 263

-other large

Effect of protonation on the atomic and bond properties of the carbonyl group in aldehydes and ketones, A.M. Graña and R.A. Mosquera 243 (1999) 17

Structure and dynamics of helically twisted cyanine dyes, S. Falzewski, F. Terstegen and V. Buβ 243 (1999) 179

Molecular aggregates

-dimers

A field-cycling NMR relaxometry investigation of proton tunnelling in a partially disordered system of hydrogen bonds, D.F. Brougham, A.J. Horsewill and H.P. Trommsdorff 243 (1999) 189

Linear response theory and IR spectral density of direct damped weak H-bonds: validity of adiabatic approximation, P. Blaise and O. Henri-Rousseau 243 (1999) 229

-van der Waals molecules

Ab initio calculations for $(BrO)_2$ system and quasiclassical dynamics study of BrO self-reaction, D. Papayannis, A.M. Kosmas and V.S. Melissas 243 (1999) 249

-complexes

Water-catalyzed mechanism for the pyrolysis of formic acid, B. Wang, H. Hou and Y. Gu 243 (1999) 27

Quasiparticles (incl. excitons)

Temperature dependence of fullerene electroabsorption spectra – model calculations, P. Petelenz, M. Andrzejak, S. Kazaoui and N. Minami 243 (1999) 149

Defects and impurities

A field-cycling NMR relaxometry investigation of proton tunnelling in a partially disordered system of hydrogen bonds, D.F. Brougham, A.J. Horsewill and H.P. Trommsdorff 243 (1999) 189

Ions and charge carriers

Accurate Gaussian basis sets for second-row atoms and ions generated with the improved generator coordinate Hartree–Fock method, E.V.R. de Castro, F.E. Jorge and J.C. Pinheiro 243 (1999) 1

Phenomena

Molecular structure

Effect of protonation on the atomic and bond properties of the carbonyl group in aldehydes and ketones, A.M. Graña and R.A. Mosquera 243 (1999) 17

Structure and dynamics of helically twisted cyanine dyes, S. Falzewski, F. Terstegen and V. Buβ 243 (1999) 179
Hartree-Fock linear response calculations of g-tensors of substituted benzene radicals, M. Engström, O. Vahtras and H. Ågren 243 (1999) 263
$E0_g^+ \rightarrow A\,1_u$ and $E0_g^+ \rightarrow B''\,1_u$ laser-induced fluorescence in molecular iodine recorded by Fourier-transform spectroscopy, D. Inard, D. Cerny, M. Nota, R. Bacis, S. Churassy and V. Skorokhodov 243 (1999) 305

Electronic structure and states

Inner-shell excitations of water molecule, A.B. Rocha and C.E. Bielschowsky 243 (1999) 9
Molecular orbital models of benzene, biphenyl and the oligophenylenes , R.J. Bursill, W. Barford and H. Daly 243 (1999) 35
X-ray absorption near-edge spectroscopy (XANES) at the phosphorus K-edge of tri-organophosphinechalcogenides, C. Engemann, R. Franke, J. Hormes, C. Lauterbach, E. Hartmann, J. Clade and M. Jansen 243 (1999) 61
An ab initio molecular orbital study of the electronic spectrum and dissociation features of Li_2F, Z. Cao, H. Xian, W. Wu and Q. Zhang 243 (1999) 209
A study of the valence-shell photoabsorption, photodissociation and photoionisation cross-sections of allene, D.M.P. Holland and D.A. Shaw 243 (1999) 333

Optical activity

Structure and dynamics of helically twisted cyanine dyes, S. Falzewski, F. Terstegen and V. Buβ 243 (1999) 179

Molecular interactions

Perturbation approach to depolarized Rayleigh band shape theory corrected for collision-induced coherence: applications to hydrogen and deuterium, A.P. Kouzov and J.V. Buldyreva 243 (1999) 137

Spectral bandshapes and intensities

Perturbation approach to depolarized Rayleigh band shape theory corrected for collision-induced coherence: applications to hydrogen and deuterium, A.P. Kouzov and J.V. Buldyreva 243 (1999) 137
Temperature dependence of fullerene electroabsorption spectra – model calculations, P. Petelenz, M. Andrzejak, S. Kazaoui and N. Minami 243 (1999) 149
Linear response theory and IR spectral density of direct damped weak H-bonds: validity of adiabatic approximation, P. Blaise and O. Henri-Rousseau 243 (1999) 229
Isotopic and chemical dilution effects on the vibrational relaxation rate of some totally symmetric motions of liquid acetonitrile, E. Marri, A. Morresi, G. Paliani, R.S. Cataliotti and M.G. Giorgini 243 (1999) 323

Coupling of electronic and nuclear motion

Kinetic study of the electron transfer process between $Ru(NH_3)_5pz^{2+}$ and $S_2O_8^{2-}$ in water–cosolvent mixtures: a new component of reorganization energy, F. Sánchez, A. Rodríguez, F. Muriel, J. Burgess and P. López-Cornejo 243 (1999) 159

Energy transfer processes

$E0_g^+ \rightarrow A1_u$ and $E0_g^+ \rightarrow B''1_u$ laser-induced fluorescence in molecular iodine recorded by Fourier-transform spectroscopy, D. Inard, D. Cerny, M. Nota, R. Bacis, S. Churassy and V. Skorokhodov 243 (1999) 305

Molecular photophysical processes

Nonphotochemical hole burning in Zn-TBP/PMMA. Unusual burning kinetics and very narrow holewidth limit, J. Müller, O.V. Khodykin, D. Haarer and B.M. Kharlamov 243 (1999) 201

On the control of the populations of atomic states through the use of a static electric field, pulsed lasers, and competing two-photon excitation mechanisms, A.E. Kondo, A. Salam and W.J. Meath 243 (1999) 215

A study of the valence-shell photoabsorption, photodissociation and photoionisation cross-sections of allene, D.M.P. Holland and D.A. Shaw 243 (1999) 333

Photochemistry

Photodissociation of some simple nitriles in the extreme vacuum ultraviolet region, K. Kanda, T. Nagata and T. Ibuki 243 (1999) 89

Spectral and electrooptical absorption and emission studies on internally hydrogen bonded benzoxazole 'double' derivatives: 2,5-bis(benzoxazolyl)hydroquinone (BBHQ) and 3,6-bis(benzoxazolyl)pyrocatechol (BBPC). Single versus double proton transfer in the excited BBPC revisited, R. Wortmann, S. Lebus, H. Reis, A. Grabowska, K. Kownacki and S. Jarosz 243 (1999) 295

Intramolecular dynamics

-vibrational energy redistribution (incl. vibrational dissociation)

Linear response theory and IR spectral density of direct damped weak H-bonds: validity of adiabatic approximation, P. Blaise and O. Henri-Rousseau 243 (1999) 229

Luminescence spectra, yields and lifetimes

Spectral and electrooptical absorption and emission studies on internally hydrogen bonded benzoxazole 'double' derivatives: 2,5-bis(benzoxazolyl)hydroquinone (BBHQ) and 3,6-bis(benzoxazolyl)pyrocatechol (BBPC). Single versus double proton transfer in the excited BBPC revisited, R. Wortmann, S. Lebus, H. Reis, A. Grabowska, K. Kownacki and S. Jarosz 243 (1999) 295

Nonlinear responses (incl. optical)

Coherent control of the molecular iodine vibrational dynamics by chirped femtosecond light pulses: theoretical simulation of the pump-probe experiment, V.V. Lozovoy, O.M. Sarkisov, A.S. Vetchinkin and S.Y. Umanskii 243 (1999) 97

Kinetic study of the electron transfer process between $Ru(NH_3)_5pz^{2+}$ and $S_2O_8^{2-}$ in water–cosolvent mixtures: a new component of reorganization energy, F. Sánchez, A. Rodríguez, F. Muriel, J. Burgess and P. López-Cornejo 243 (1999) 159

On the control of the populations of atomic states through the use of a static electric field, pulsed lasers, and competing two-photon excitation mechanisms, A.E. Kondo, A. Salam and W.J. Meath 243 (1999) 215

Multiphoton phenomena

On the control of the populations of atomic states through the use of a static electric field, pulsed lasers, and competing two-photon excitation mechanisms, A.E. Kondo, A. Salam and W.J. Meath 243 (1999) 215

Reactions (incl. dissociation)

-collisional

Ab initio calculations for $(BrO)_2$ system and quasiclassical dynamics study of BrO self-reaction, D. Papayannis, A.M. Kosmas and V.S. Melissas 243 (1999) 249

Tunneling

A field-cycling NMR relaxometry investigation of proton tunnelling in a partially disordered system of hydrogen bonds, D.F. Brougham, A.J. Horsewill and H.P. Trommsdorff 243 (1999) 189

Electron transfer

Dual fluorescence of 2-(4′-*N*,*N*-dimethylaminophenyl)benzoxazole: effect of solvent and pH, G. Krishnamoorthy and S.K. Dogra 243 (1999) 45

Relaxation times of a dissipative two-state system for a resonance treatment. Application to electron transfer reactions, T. Cheche and S.H. Lin 243 (1999) 123

Kinetic study of the electron transfer process between $Ru(NH_3)_5pz^{2+}$ and $S_2O_8^{2-}$ in water–cosolvent mixtures: a new component of reorganization energy, F. Sánchez, A. Rodríguez, F. Muriel, J. Burgess and P. López-Cornejo 243 (1999) 159

Proton and hydrogen atom transfer

A field-cycling NMR relaxometry investigation of proton tunnelling in a partially disordered system of hydrogen bonds, D.F. Brougham, A.J. Horsewill and H.P. Trommsdorff 243 (1999) 189

Spectral and electrooptical absorption and emission studies on internally hydrogen bonded benzoxazole 'double' derivatives: 2,5-bis(benzoxazolyl)hydroquinone (BBHQ) and 3,6-bis(benzoxazolyl)pyrocatechol (BBPC). Single versus double proton transfer in the excited BBPC revisited, R. Wortmann, S. Lebus, H. Reis, A. Grabowska, K. Kownacki and S. Jarosz 243 (1999) 295

Ionization (incl. Rydberg states)

Calculation of the differential photoionization cross-section of PH_3, V. Carravetta and I. Cacelli 243 (1999) 77

Surface chemical physics

-catalysis

Water-catalyzed mechanism for the pyrolysis of formic acid, B. Wang, H. Hou and Y. Gu 243 (1999) 27

Electronic process in gases

Inner-shell excitations of water molecule, A.B. Rocha and C.E. Bielschowsky 243 (1999) 9

Thermodynamic and transport properties

Reaction volume statistics for rate processes in disordered systems. Thermodynamic analogies and extracting information from experimental data, M.O. Vlad, J. Ross and A. Plonka 243 (1999) 273

Structure of solids, liquids and glasses

Reducing quasi-ergodicity in Monte Carlo simulations of the plastic phase of the cyanoadamantane crystal, B. Kuchta, M. Descamps and J.F. Willart 243 (1999) 169